

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 02/23/2016

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : MODERN WOOD STAIN WHITE

Product code : 716001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Solventborne Coating

1.3. Details of the supplier of the safety data sheet

Rodda Paint Co. 6107 North Marine Drive Portland, Oregon 97203 T (503) 521-4300 www.roddapaint.com

1.4. Emergency telephone number

Emergency number : (800) 424-9300 Chemtrec 24 Hour Emergency Telephone Number

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Flammable liquids, Category 2

Sensitisation — Skin, Category 1

Germ cell mutagenicity, Category 1B

Highly flammable liquid and vapour

May cause an allergic skin reaction

May cause genetic defects

Carcinogenicity, Category 1B

May cause cancer

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)





GHS02

GHS07

GHS08

Signal word (GHS-US) : Danger

Contains : MINERAL SPIRITS; NAPHTHA (PETROLEUM), HYDROTREATED HEAVY; METHYL ETHYL

KETOXINE; AMORPHOUS SILICA

Hazard statements (GHS-US)

: Highly flammable liquid and vapour May cause an allergic skin reaction

May cause genetic defects

May cause cancer

Precautionary statements (GHS-US) : Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Keep away from heat, hot surfaces, open flames, sparks. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical, lighting, ventilating equipment

Use only non-sparking tools

Take precautionary measures against static discharge Avoid breathing dust/fume/gas/mist/vapours/spray

Contaminated work clothing must not be allowed out of the workplace Wear eye protection, face protection, protective clothing, protective gloves

If on skin: Wash with plenty of water

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instruction on this label)

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

In case of fire: Use ABC-powder, carbon dioxide (CO2), foam to extinguish

02/24/2016 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Store in a well-ventilated place. Keep cool

Store locked up

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
MINERAL SPIRITS	(CAS No) 64741-65-7	47.424112287 720942	Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304
TITANIUM DIOXIDE	(CAS No) 13463-67-7	14.677422861 98871	Carc. 2, H351
XYLENE	(CAS No) 1330-20-7	1.0785187762 29099	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315
AMORPHOUS SILICA	(CAS No) 7631-86-9	0.8969536193 43755	Carc. 1B, H350
NAPHTHA (PETROLEUM), HYDROTREATED HEAVY	(CAS No) 64742-48-9	0.1217682489 29092	Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304
METHYL ETHYL KETOXINE	(CAS No) 96-29-7	0.1087216508 29546	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 2, H351

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a POISON CENTER or doctor/physician.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

02/24/2016 EN (English) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

METHYL ETHYL KETOXINE (96-29-7)		
AIHA	WEEL TWA (ppm)	10 ppm
XYLENE (1330-20-7)		
ACGIH	ACGIH TWA (ppm)	100 ppm
ACGIH	ACGIH STEL (ppm)	150 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	435 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	100 ppm

MINERAL SPIRITS (64741-65-7)

Not applicable

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY (64742-48-9)

Not applicable

TITANIUM DIOXIDE (13463-67-7)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust)
IDLH	US IDLH (mg/m³)	5000 mg/m³
AMORPHOUS SILICA (7631-86-9)		
IDLH	US IDLH (mg/m³)	3000 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m³)	6 mg/m³

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

02/24/2016 EN (English) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment : Protective clothing. Protective goggles. Gloves. Insufficient ventilation: wear respiratory











Hand protection : Protective gloves.

Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : white
Odour : mild

Odour threshold : No data available : No data available рH Melting point Not applicable Freezing point : No data available Boiling point No data available Flash point : Not applicable Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) No data available : No data available **Explosive limits** Explosive properties No data available Oxidising properties : No data available Vapour pressure : No data available

Relative density : 1.067

Relative vapour density at 20 °C : No data available Solubility : No data available Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available

Viscosity, kinematic : 40 m²/s

Viscosity, dynamic : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

02/24/2016 EN (English) 4/10

Safety Data Sheet

list

Reproductive toxicity

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Acute toxicity . Not classified		
METHYL ETHYL KETOXINE (96-29-7)		
LD50 oral rat	930 mg/kg	
LD50 dermal rabbit	1000 - 1800 mg/kg	
LC50 inhalation rat (mg/l)	> 4800 mg/l (Exposure time: 4 h)	
ATE US (oral)	930.000 mg/kg bodyweight	
ATE US (dermal)	1000.000 mg/kg bodyweight	
XYLENE (1330-20-7)		
LD50 oral rat	3500 mg/kg	
LD50 dermal rabbit	> 4350 mg/kg	
LC50 inhalation rat (mg/l)	29.08 mg/l	
ATE US (oral)	3500.000 mg/kg bodyweight	
ATE US (dermal)	1100.000 mg/kg bodyweight	
ATE US (gases)	4500.000 ppmv/4h	
ATE US (vapours)	11.000 mg/l/4h	
ATE US (dust,mist)	1.500 mg/l/4h	
MINERAL SPIRITS (64741-65-7)		
LD50 oral rat	> 7000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 5.04 mg/l/4h	
NAPHTHA (PETROLEUM), HYDROTREATED	HEAVY (64742-48-9)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 3160 mg/kg	
TITANIUM DIOXIDE (13463-67-7)		
LD50 oral rat	> 10000 mg/kg	
AMORPHOUS SILICA (7631-86-9)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 2.2 mg/l (Exposure time: 1 h)	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: May cause genetic defects.	
Carcinogenicity	: May cause cancer.	
XYLENE (1330-20-7)		
IARC group	3 - Not classifiable	
•		
TITANIUM DIOXIDE (13463-67-7)	OD. Descibly experience is to hypere	
IARC group	2B - Possibly carcinogenic to humans Yes	
In OSHA Hazard Communication Carcinogen list	Yes	
AMORPHOUS SILICA (7631-86-9)		
IARC group	3 - Not classifiable	
National Toxicity Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen	
In OSHA Hazard Communication Carcinogen	Yes	
liet		

02/24/2016 EN (English) 5/10

: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

METHYL ETHYL KETOXINE (96-29-7)		
LC50 fish 1	777 - 914 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	750 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	760 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])	
XYLENE (1330-20-7)		
LC50 fish 1	13.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	3.82 mg/l (Exposure time: 48 h - Species: water flea)	
LC50 fish 2	2.661 - 4.093 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Daphnia 2	0.6 mg/l (Exposure time: 48 h - Species: Gammarus lacustris)	
MINERAL SPIRITS (64741-65-7)		
EC50 Daphnia 1	2 mg/l (Exposure time: 48 h - Species: Mysidopsis bahia)	
NAPHTHA (PETROLEUM), HYDROTREATED HEAVY (64742-48-9)		
LC50 fish 1	2200 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
AMORPHOUS SILICA (7631-86-9)		
LC50 fish 1	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
EC50 Daphnia 1	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

METHYL ETHYL KETOXINE (96-29-7)		
BCF fish 1	0.5 - 5.8	
Log Pow	0.65 (at 25 °C)	
XYLENE (1330-20-7)		
BCF fish 1	0.6 - 15	
Log Pow	2.77 - 3.15	

AMORPHOUS SILICA (7631-86-9)	
BCF fish 1	(no bioaccumulation expected)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

02/24/2016 EN (English) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Waste disposal recommendations

: Avoid release to the environment. Discharging into rivers and drains is forbidden. Dispose of contents/container to hazardous or special waste collection point in accordance with state and local regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : ID8000 Consumer commodity, 9

UN-No.(DOT) : ID8000

Proper Shipping Name (DOT) Consumer commodity

Class (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



DOT Packaging Non Bulk (49 CFR 173.xxx) : 167 DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Packaging Exceptions (49 CFR 173.xxx) : 167 DOT Quantity Limitations Passenger aircraft/rail : 30 kg gross

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 kg gross

CFR 175.75)

Emergency Response Guide (ERG) Number : 171

Other information : No supplementary information available.

TDG

No additional information available

Transport by sea

No additional information available

Air transport

UN-No. (IATA) : 8000

Proper Shipping Name (IATA) : Consumer commodity

Class (IATA) : 9 - Miscellaneous Dangerous Goods

SECTION 15: Regulatory information

15.1. US Federal regulations

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

XYLENE CAS No 1330-20-7 1.078518776229099%

METHYL ETHYL KETOXINE (96-29-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA **EPA TSCA Regulatory Flag**

XYLENE (1330-20-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 313 - Emission Reporting 1.0 %

MINERAL SPIRITS (64741-65-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY (64742-48-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

02/24/2016 EN (English) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TITANIUM DIOXIDE (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

AMORPHOUS SILICA (7631-86-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

METHYL ETHYL K	(ETOXINE ((96-29-7)
----------------	------------	-----------

Listed on the Canadian DSL (Domestic Substances List)

XYLENE (1330-20-7)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class B Division 2 - Flammable Liquid

Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects

MINERAL SPIRITS (64741-65-7)

Listed on the Canadian DSL (Domestic Substances List)

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY (64742-48-9)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class B Division 3 - Combustible Liquid

TITANIUM DIOXIDE (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

AMORPHOUS SILICA (7631-86-9)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

EU-Regulations

METHYL ETHYL KETOXINE (96-29-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

XYLENE (1330-20-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

MINERAL SPIRITS (64741-65-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY (64742-48-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

TITANIUM DIOXIDE (13463-67-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

AMORPHOUS SILICA (7631-86-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

METHYL ETHYL KETOXINE (96-29-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

02/24/2016 EN (English) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

XYLENE (1330-20-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

MINERAL SPIRITS (64741-65-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

NAPHTHA (PETROLEUM). HYDROTREATED HEAVY (64742-48-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

TITANIUM DIOXIDE (13463-67-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

AMORPHOUS SILICA (7631-86-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

15.3. US State regulations

TITANIUM DIOXIDE (13463-67-7)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	No	No	No	

XYLENE (1330-20-7)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

02/24/2016 EN (English) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TITANIUM DIOXIDE (13463-67-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List U.S. Pennsylvania RTK (Right to Know) List

AMORPHOUS SILICA (7631-86-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Revision date : 02/23/2016

Full text of H-statements:

at of the diaterriente.		
H225	Highly flammable liquid and vapour	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H312	Harmful in contact with skin	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H332	Harmful if inhaled	
H340	May cause genetic defects	
H350	May cause cancer	
H351	Suspected of causing cancer	

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/24/2016 EN (English) 10/10