



FINISH RIGHT

DRIVE-LINE ACRYLIC STRIPING YELLOW

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/13/2018

Revision date: 06/24/2021

Supersedes: 11/13/2018

Version: 1.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : DRIVE-LINE ACRYLIC STRIPING YELLOW
 Product code : 57342

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Rodda Paint Co.
 6107 North Marine Drive
 Portland, Oregon 97203 - US
 T (503) 521-4300
www.rodmapaint.com

1.4. Emergency telephone number

Emergency number : (800) 424-9300 Chemtrec 24 Hour Emergency Telephone Number

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

| | | |
|--|------|--|
| Carcinogenicity Category | H350 | May cause cancer (Avoid prolonged and repeated contact with skin) |
| 1A | | |
| Specific target organ toxicity (single exposure) | H370 | Causes damage to organs (kidneys, liver, lung/respiratory system) (Avoid prolonged and repeated contact with skin) |
| Category 1 | | |

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H350 - May cause cancer (Avoid prolonged and repeated contact with skin)
 H370 - Causes damage to organs (kidneys, liver, lung/respiratory system) (Avoid prolonged and repeated contact with skin)

Precautionary statements (GHS-US) :

P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P260 - Do not breathe mist, spray, vapors.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P280 - Wear eye protection, face protection, protective clothing, protective gloves.
 P307+P311 - If exposed: Call a poison center/doctor
 P308+P313 - If exposed or concerned: Get medical advice/attention.
 P405 - Store locked up.
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

Not applicable

DRIVE-LINE ACRYLIC STRIPING YELLOW

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS-US classification |
|--------------------------------------|----------------------|-----|--|
| METHANOL | (CAS-No.) 67-56-1 | 1.7 | Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 STOT SE 1, H370 |
| TRIMETHYLPENTANEDIOL MONOISOBUTYRATE | (CAS-No.) 25265-77-4 | 1.3 | Acute Tox. 3 (Inhalation:vapour), H331 Aquatic Acute 3, H402 |
| TITANIUM DIOXIDE | (CAS-No.) 13463-67-7 | 1.2 | Carc. 2, H351 |
| QUARTZ | (CAS-No.) 14808-60-7 | 0.5 | Carc. 1A, H350 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe mist, vapors, spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8 "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

DRIVE-LINE ACRYLIC STRIPING YELLOW

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe mist, vapors, spray.
- Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

TRIMETHYLPENTANEDIOL MONOISOBUTYRATE (25265-77-4)

Not applicable

METHANOL (67-56-1)

| | | |
|-------|---------------------------------------|--------------------------------------|
| ACGIH | Local name | Methanol |
| ACGIH | ACGIH TWA (ppm) | 200 ppm |
| ACGIH | ACGIH STEL (ppm) | 250 ppm |
| ACGIH | Remark (ACGIH) | Headache; eye dam; dizziness; nausea |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 260 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 200 ppm |
| IDLH | US IDLH (ppm) | 6000 ppm |
| NIOSH | NIOSH REL (TWA) (mg/m ³) | 260 mg/m ³ |
| NIOSH | NIOSH REL (TWA) (ppm) | 200 ppm |
| NIOSH | NIOSH REL (STEL) (mg/m ³) | 325 mg/m ³ |
| NIOSH | NIOSH REL (STEL) (ppm) | 250 ppm |
| NIOSH | US-NIOSH chemical category | Potential for dermal absorption |

QUARTZ (14808-60-7)

| | | |
|-------|--------------------------------------|---|
| ACGIH | ACGIH TWA (mg/m ³) | 0.025 mg/m ³ (respirable particulate matter) |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 50 µg/m ³ |
| IDLH | US IDLH (mg/m ³) | 50 mg/m ³ (respirable dust) |
| NIOSH | NIOSH REL (TWA) (mg/m ³) | 0.05 mg/m ³ (respirable dust) |

TITANIUM DIOXIDE (13463-67-7)

| | | |
|-------|--------------------------------------|---|
| ACGIH | ACGIH TWA (mg/m ³) | 10 mg/m ³ |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ (total dust) |
| IDLH | US IDLH (mg/m ³) | 5000 mg/m ³ |
| NIOSH | NIOSH REL (TWA) (mg/m ³) | 2.4 mg/m ³ (CIB 63-fine) 0.3 mg/m ³ (CIB 63-ultrafine, including engineered nanoscale) |

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

DRIVE-LINE ACRYLIC STRIPING YELLOW

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Protective goggles. Insufficient ventilation: wear respiratory protection. Protective clothing.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Color | : yellow |
| Odor | : ammonia-like |
| Odor threshold | : No data available |
| pH | : 9.75 - 10.2 |
| Melting point | : Not applicable |
| Freezing point | : ≈ 0 °C |
| Boiling point | : No data available |
| Flash point | : > 112 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Not applicable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity | : No data available |
| Specific gravity / density | : 14.45 lb/gal |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : 1000 cSt |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

DRIVE-LINE ACRYLIC STRIPING YELLOW

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| TRIMETHYLPENTANEDIOL MONOISOBUTYRATE (25265-77-4) | |
|--|----------------------------------|
| LD50 oral rat | 3200 mg/kg |
| LD50 dermal rat | > 15200 mg/kg |
| LC50 inhalation rat (mg/l) | > 3.55 mg/l (Exposure time: 6 h) |
| ATE US (oral) | 3200 mg/kg body weight |
| ATE US (vapors) | 3 mg/l/4h |

| METHANOL (67-56-1) | |
|---------------------------|--------------------------------|
| LD50 oral rat | 6200 mg/kg |
| LD50 dermal rabbit | 15840 mg/kg |
| LC50 inhalation rat (ppm) | 22500 ppm (Exposure time: 8 h) |
| ATE US (oral) | 100 mg/kg body weight |
| ATE US (dermal) | 300 mg/kg body weight |
| ATE US (gases) | 700 ppmV/4h |
| ATE US (vapors) | 3 mg/l/4h |
| ATE US (dust, mist) | 0.5 mg/l/4h |

| TITANIUM DIOXIDE (13463-67-7) | |
|--------------------------------------|---------------|
| LD50 oral rat | > 10000 mg/kg |

Skin corrosion/irritation : Not classified
pH: 9.75 - 10.2

Serious eye damage/irritation : Not classified
pH: 9.75 - 10.2

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer (Avoid prolonged and repeated contact with skin).

| QUARTZ (14808-60-7) | |
|--|----------------------------|
| IARC group | 1 - Carcinogenic to Humans |
| National Toxicity Program (NTP) Status | Known Human Carcinogens |
| In OSHA Hazard Communication Carcinogen list | Yes |

| TITANIUM DIOXIDE (13463-67-7) | |
|--|--------------------------------------|
| IARC group | 2B - Possibly Carcinogenic to Humans |
| In OSHA Hazard Communication Carcinogen list | Yes |

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Causes damage to organs (kidneys, liver, lung/respiratory system) (Avoid prolonged and repeated contact with skin).

DRIVE-LINE ACRYLIC STRIPING YELLOW

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

TRIMETHYLPENTANEDIOL MONOISOBUTYRATE (25265-77-4)

| | |
|-------------|--|
| LC50 fish 1 | 30 mg/l (Exposure time: 96 h - Species: Pimephales promelas) |
|-------------|--|

METHANOL (67-56-1)

| | |
|-------------|--|
| LC50 fish 1 | 28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
|-------------|--|

| | |
|-------------|--|
| LC50 fish 2 | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
|-------------|--|

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

TRIMETHYLPENTANEDIOL MONOISOBUTYRATE (25265-77-4)

| | |
|---------|-----------------|
| Log Pow | 3.47 (at 25 °C) |
|---------|-----------------|

METHANOL (67-56-1)

| | |
|------------|------|
| BCF fish 1 | < 10 |
|------------|------|

| | |
|---------|-------|
| Log Pow | -0.77 |
|---------|-------|

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Avoid release to the environment. Discharging into rivers and drains is forbidden. Dispose of contents/container to hazardous or special waste collection point in accordance with state and local regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

DRIVE-LINE ACRYLIC STRIPING YELLOW

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| | | |
|---|-----------------|------|
| METHANOL | CAS-No. 67-56-1 | 1.7% |
| TRIMETHYLPENTANEDIOL MONOISOBUTYRATE (25265-77-4) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| METHANOL (67-56-1) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| Listed on EPA Hazardous Air Pollutant (HAPS) | | |
| CERCLA RQ | 5000 lb | |
| QUARTZ (14808-60-7) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| TITANIUM DIOXIDE (13463-67-7) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |

15.2. International regulations

CANADA

| | | |
|--|--|--|
| TRIMETHYLPENTANEDIOL MONOISOBUTYRATE (25265-77-4) | | |
| Listed on the Canadian DSL (Domestic Substances List) inventory. | | |
| METHANOL (67-56-1) | | |
| Listed on the Canadian DSL (Domestic Substances List) inventory. | | |
| QUARTZ (14808-60-7) | | |
| Listed on the Canadian DSL (Domestic Substances List) inventory. | | |
| TITANIUM DIOXIDE (13463-67-7) | | |
| Listed on the Canadian DSL (Domestic Substances List) inventory. | | |

EU-Regulations

| | | |
|--|--|--|
| TRIMETHYLPENTANEDIOL MONOISOBUTYRATE (25265-77-4) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances. | | |
| METHANOL (67-56-1) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances. | | |
| QUARTZ (14808-60-7) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances. | | |
| TITANIUM DIOXIDE (13463-67-7) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances. | | |

National regulations

| | | |
|--|--|--|
| TRIMETHYLPENTANEDIOL MONOISOBUTYRATE (25265-77-4) | | |
| Listed on the AICS (the Australian Inventory of Chemical Substances) | | |
| Listed on Inventory of Existing Chemical Substances (IECSC) | | |
| Listed on Industrial Safety and Health Law Substances (ISHL) | | |
| Listed on the Korean ECL (Existing Chemical List) inventory. | | |
| Listed on New Zealand - Inventory of Chemicals (NZIoC) | | |
| Listed on Inventory of Chemicals and Chemical Substances (PICCS) | | |
| Listed on INSQ (Mexican National Inventory of Chemical Substances) | | |
| Listed on the TCSI (Taiwan Chemical Substance Inventory) | | |

DRIVE-LINE ACRYLIC STRIPING YELLOW

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

METHANOL (67-56-1)

Listed on the AICS (the Australian Inventory of Chemical Substances)
Listed on Inventory of Existing Chemical Substances (IECSC)
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.
Listed on Industrial Safety and Health Law Substances (ISHL)
Listed on the Korean ECL (Existing Chemical List) inventory.
Listed on New Zealand - Inventory of Chemicals (NZIoC)
Listed on Inventory of Chemicals and Chemical Substances (PICCS)
Poisonous and Deleterious Substances Control Law
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on EPA Hazardous Air Pollutant (HAPS)
Listed on the TCSI (Taiwan Chemical Substance Inventory)

QUARTZ (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)
Listed on the AICS (the Australian Inventory of Chemical Substances)
Listed on Inventory of Existing Chemical Substances (IECSC)
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.
Listed on Industrial Safety and Health Law Substances (ISHL)
Listed on the Korean ECL (Existing Chemical List) inventory.
Listed on New Zealand - Inventory of Chemicals (NZIoC)
Listed on Inventory of Chemicals and Chemical Substances (PICCS)
Listed as carcinogen on NTP (National Toxicology Program)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)

TITANIUM DIOXIDE (13463-67-7)

Listed on the AICS (the Australian Inventory of Chemical Substances)
Listed on Inventory of Existing Chemical Substances (IECSC)
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.
Listed on Industrial Safety and Health Law Substances (ISHL)
Listed on the Korean ECL (Existing Chemical List) inventory.
Listed on New Zealand - Inventory of Chemicals (NZIoC)
Listed on Inventory of Chemicals and Chemical Substances (PICCS)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

⚠ WARNING This product can expose you to TITANIUM DIOXIDE, which is known to the State of California to cause cancer, and METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

METHANOL (67-56-1)

| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) | Maximum allowable dose level (MADL) |
|---|---|---|---|-----------------------------------|-------------------------------------|
| No | Yes | No | No | | 47000 µg/day inhalation |

TITANIUM DIOXIDE (13463-67-7)

| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) | Maximum allowable dose level (MADL) |
|---|---|---|---|-----------------------------------|-------------------------------------|
| Yes | No | No | No | | |

METHANOL (67-56-1)

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)
U.S. - Idaho - Occupational Exposure Limits - TWAs
U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S. - Pennsylvania - RTK (Right to Know) List

DRIVE-LINE ACRYLIC STRIPING YELLOW

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

QUARTZ (14808-60-7)

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)
U.S. - Idaho - Occupational Exposure Limits - Mineral Dusts
U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

TITANIUM DIOXIDE (13463-67-7)

U.S. - Idaho - Occupational Exposure Limits - TWAs
U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date : 06/24/2021

Full text of H-phrases:

| | |
|------|------------------------------------|
| H225 | Highly flammable liquid and vapour |
| H301 | Toxic if swallowed |
| H311 | Toxic in contact with skin |
| H331 | Toxic if inhaled |
| H350 | May cause cancer |
| H351 | Suspected of causing cancer |
| H370 | Causes damage to organs |
| H402 | Harmful to aquatic life |

SDS US (GHS HazCom 2012)

RODDA PAINT CO. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to understand the data contained in this SDS and any hazards associated with the product. This information is provided as a resource only and should not be taken as a warranty or representation for which RODDA PAINT CO. assumes legal responsibility. Unless otherwise specified, the data provided herein is valid only for the described material and may not be applicable for the product used in combination with any other materials or processes. The information contained within is believed to be accurate as of the effective date and compiled from sources believed to be reliable. The user assumes all responsibility of using and handling the product in accordance with applicable federal, state and local regulations.